


# **Optical fork sensors**

#### 1 Functions and features

The optical fork sensors detect objects and materials without contact and indicate their presence by a switching signal.

## 2 Mounting




### 3 Electrical connection

- The following information is valid, if an UL Listingmark is applied on the product:
  - ► For use in NFPA 79 applications only. Adapters providing field wiring means are available from the manufacturer. Refer to manufacturers information.
  - ► The device shall be supplied from a class 2 rated power supply.


|  |  | ļ |
|--|--|---|
|  |  |   |
|  |  |   |
|  |  |   |
|  |  | ŀ |
|  |  |   |

### **DC PNP**



2: function check output

# 4 Operating and display elements



1: LED yellow function check

2: LED yellow switching status

3: LED green operation indication

### 5 Technical data

| Electrical design          |      | DC PNP       |  |
|----------------------------|------|--------------|--|
| Output                     |      | dark-on mode |  |
| Operating voltage          | [V]  | 1035 V DC    |  |
| Current rating             | [mA] | 200          |  |
| Current consumption        | [mA] | < 45         |  |
| Operating temperature [°C] |      | -1060        |  |
| Protection                 |      | IP 67, III   |  |

Pobrano z: https://automatyka-sklep.eu/czujnik-katowy-ifm-electronic-10-35vdc-pnp-opl204